# **INRCA IRCCS**



Via Monteregio, 13 – 23880 Casatenovo LC – Centralino tel. 039-9232.1

# U.O.S.D. Laboratorio di Analisi Chimico-Cliniche e Microbiologiche

Certificato UNI EN ISO 9001-2008

Responsabile Dr. Massimo Colciago

e-mail: m.colciago@inrca.it server internet: www.inrca.it

MATERIALE IN ESAME: FECI - Inglese

**SAMPLE MATERIAL: STOOL** 

COPROCULTURE (for the detection of Salmonella spp., Shigella, Campylobacter spp.)

- To search for other pathogens (Yersinia enterocolitica, Escherichia coli, Vibrio cholerae) it must be specifically requested by the personal physician.
- Collect in a sterile container a small amount of feces using the spoon attached to the cap (fill the spoon and not the whole container!)
- Deliver the sample at the center levies by 9.30. it is 'possible to deliver it within 12 hours of collection keeping the sample between 2°-8°C

### SEARCH ROTAVIRUS / ADENOVIRUS

- Collecting instructions are same as above (see coproculture)
- The sample must be stored between 2°-8°C for no more than 72 hours and delivered at the sampling points by 9.30.

#### SEARCH PESTS

- Collecting instructions are same as above (see coproculture)
- Do not contaminate the sample with urine or menstrual blood.
- The sample must be stored between 2°-8°C for no more than 24 hours and delivered at the sampling points by 9.30.

**NB** It is better to search for parasites on three different samples collecting them on three different days and delivering them everyday.

### SEARCH ANTIGEN HELICOBACTER PYLORI FAECES

### Preparation of the patient:

- Suspend or not to take any gastroprotective medication in THE TWO WEEKS BEFORE collection
- Suspend or not take antibiotics in THE THREE WEEKS BEFORE collection

## Collection of material:

- Collecting instructions are same as above (see coproculture)
- The sample must be stored between 2°-8°C for no more than 24 hours and delivered at the sampling points by 9.30.



# **INRCA IRCCS**



Via Monteregio, 13 – 23880 Casatenovo LC – Centralino tel. 039-9232.1

# U.O.S.D. Laboratorio di Analisi Chimico-Cliniche e Microbiologiche

Certificato UNI EN ISO 9001-2008

## Responsabile Dr. Massimo Colciago

e-mail: m.colciago@inrca.it server internet: www.inrca.it

### SCOTCH TEST (search pinworm eggs)

- Retrieve the slides in the laboratory
- First thing in the morning (DO NOT wash the area) attach or stick a piece of transparent tape (no more than 1-2 c m long and no more than 3cm) for a few seconds on the anal orifice.
- Remove the tape and apply it on the slide perfectly in the center of the slide (DO NOT COVER WITH OTHER TAPE).
- Deliver the sample at the center levies by 9.30.

**NB** If the samples are to be collected for three days, you can store the samples at room temperature and deliver all 3 together the last day of collecting.

#### STOOL TEST FOR OCCULT BLOOD

### Collection of material:

- Collecting instructions are same as above (see coproculture)
- Do not contaminate the sample with urine or menstrual blood.
- The sample must be stored between 2°-8°C for no more than 24 hours and delivered at the sampling points by 9.30.

## SEARCH C. DIFFICULT

- The search is indicated only in cases of diarrheal stools, do not send formed stool.
- Collecting instructions are same as above (see coproculture)
- The sample must be stored between 2°-8°C for no more than 24 hours and delivered at the sampling points by 9.30.

### SEARCH PANCREATIC ELASTASE

- Collecting instructions are same as above (see coproculture)
- The sample must be stored between 2°-8° C for no more than 72 hours and delivered at the sampling points by 9.30.

Rev.00 del 20/09/2017

